

**The Distribution of the Fulgoroidea
of the Eastern United States (Homoptera)**

S.W. Wilson¹ and J.E. McPherson
Department of Zoology
Southern Illinois University
Carbondale, Illinois 62901

ABSTRACT

The distributions of planthoppers occurring in the United States east of the Mississippi River are listed.

Metcalf's catalogue of the Fulgoroidea [Fascicle IV of the catalogue of the Homoptera (Hemiptera)] was published in 18 parts between 1932 and 1958. Those parts dealing with the eastern U. S. species of the Fulgoroidea (or planthoppers) were published between 1936 and 1958 (i.e., 1936; 1943; 1945; 1946; 1947a, b; 1954a, b; 1957; 1958) and have served as the basic source of information (e.g., synonyms, distributions, references) for these species. However, the distributions of these species as listed in Metcalf's catalogue have become increasingly outdated because of subsequent faunal lists, revisions of higher taxa, and descriptions of new species. Presented here are the updated distributions of the eastern U.S. species. These consist of the distributions given by Metcalf, supplemented with more recent records. We have omitted Metcalf's distributions for those taxa that have undergone revisions subsequent to publication of his catalogue. Only 1 reference is listed per state even though several authors may have provided records. The eastern U. S., as defined here, is that area east of the Mississippi River, and includes Louisiana and Minnesota which lie partially east of the River.

The present list includes 394 species in 89 genera and 10 families (Table 1). The sequence of taxa follows, where possible, that given in Metcalf's catalogue. *Delphacodes* has been split into several new genera by European workers [e.g., Fennah (29)] but we have elected to use the name *Delphacodes* because, apparently, few of the ca. 120 North American species were examined by these authors when they erected the new genera.

Table 1., List of the Fulgoroidea of the eastern United States.

Family CIXIIDAE Spinola

Pintalia Stal

delicata (Fowler), VA, SC, MS, LA (41).

dorsovittatus (Van Duzee), VA, SC, FL, TN (23); IL (64).

Oliarus Stal^a

aridus Ball, VA, SC, GA, AL, MS, LA, TN, OH, IN, IL (38).

chuliotus Ball, DC, NC, SC, GA, FL, MS, IL (38).

cinnamomeus Provancher, ME, NH, MA, CT, NY, NJ, PA (38).

complexus Ball, FL (38).

¹Present address: Dept. of Biological Sciences, California State University, Chico. CA. 95929.

difficilis Van Duzee, FL (38).
ecologus Caldwell, CT, NJ, PA, MD, DC, VA, NC, SC, GA, AL, MS, TN, KY, OH, IL (38).
humilis (Say), NH, MA, CT, NY, NJ, PA, OH, IL, MI, WI, MN (38).
littoralis Ball, FL (38).
montanus Metcalf, NY, PA, MD, VA, NC, GA, TN, OH, IL (38).
placitus Van Duzee, NJ, MD, DC, VA, NC, SC, GA, FL, AL, OH, IL (38).
quinquelineatus (Say), ME, MA, CT, NY, NJ, PA, MD, VA, NC, SC, GA, FL, MS, IN, IL, WI, MN (38).
sablensis Caldwell, NH, MA, CT, NY, NJ, PA, MD, DC, WV, NC, SC, GA, FL, TN, KY, OH, IN, IL, MN (38).
slossonae Van Duzee, FL (38).
vicarius (Walker), NC, SC, GA, FL, (38).
viequensis Caldwell, FL (38).

Monorachis Uhler

sordulentus Uhler, FL, MS (41); IL (64).

Myndus Stal

crudus Van Duzee, FL (36).
dozieri Kramer, MS (36).
enotatus Kramer, MD, VA, NC, SC, GA, FL, MS, LA (36).
fulvus Osborn, NY, TN, KY, OH (36); IL (64).
glyphis Kramer, MA, NY, TN (36).
lunatus Van Duzee, FL (36).
neopusillus Kramer, FL (36).
ovatus Ball, MA, NJ, MD, VA, GA (36).
pictifrons Stal, MA, CT, NY, NJ, PA, MD, VA, NC, GA, MS, LA, TN, OH, IN, IL (36).
pusillus Van Duzee, NH, MA, CT, NJ, VA, NC, GA, FL (36).
radicis Osborn, NY, MD, VA, NC, MS, OH, IN, IL (36).
slossonae Ball, GA, FL, MS (36).
truncatus Metcalf, IL, WI (36).
xyron Kramer, NY, MI (36).

Cixius Latreille

angustatus Caldwell, OH (21).
apicalis Metcalf, CT, NY, (41); OH (56).
coloepeum Fitch, ME, NH, CT, NY, NJ, PA (41); NC (20); OH (41); IL (64).
misellus Van Duzee, ME, NH, MA, RI, CT, NY, NJ, PA, NC, GA, KY, OH, IL, MI (41).
nervosus (Linnaeus)^b, ME, NH, MA, RI, CT, NY, NJ, GA, OH (41); IN (31); IL (64).
pini Fitch, ME, NH, MA, CT, NY, NJ, PA, NC (41); OH (56); IL (64); MI (41).
stigmata (Say)^c, NH, NY, NJ, PA, GA, OH (41); IN (31); IL (64).
umbrosus Walley, OH (56).

Oecleus Stal

borealis Van Duzee, NY, NJ, PA, MD, SC, GA, FL, MS, AL, OH, IL, MI (34).
chrisjohni Kramer, IL (63).
epetrion Kramer, IL (63).
productus Metcalf, MD, GA, FL, MS, IL (34).
tamiamus Ball and Klingenberg, FL (34).

Nymphocixia Van Duzee

vanduzeei Muir, FL (24).

Bothriocera Burmeister

bicornis (Fabricius), NJ, MD, NC, FL (41).
cognita Caldwell, MS (22).
drakei Metcalf, FL (39), OH (22).
furcata Caldwell, FL (22).
maculata Caldwell, FL (22).

signoreti Stal, MD, GA, FL (41), IL (64).
transversa Caldwell, FL (22).
undatus (Fabricius), NC (20), FL (41).

Family *DELPHACIDAE* Leach

Copicerus Swartz

irroratus Swartz, FL, MS, OH (42); IL (61).

Pentagramma Van Duzee

douglasensis Penner, MI (58).
longistylata Penner, FL (58).
variegata Penner, NY, MS, IN, IL, MN (58).
vittatifrons (Uhler), NJ, NY, MD, VA, IL (58).

Stobaera Stal

affinis Van Duzee, FL (33).
concinna (Stal), FL, LA (33).
pallida Osborn, NY (33); NJ (26); MD, VA, FL (33).
tricarinata (Say), MA, NY, NJ, PA, MD, VA, NC, SC, GA, FL, MS, AL, LA, TN, OH, IN, IL, MN (33).

Liburniella Crawford

ornata (Stal), ME, MA, CT, NY, NJ, PA, DC, NC, SC, GA, FL, MS, AL, LA, KY, OH, IN, IL, MN (42).

Laccocera Van Duzee

vittipennis Van Duzee, NH, NY, MI, MN (57).

Achorotile Fieber

albosignata (Dahlbom), NY^d (42).

Phyllodinus Van Duzee

nervatus Van Duzee, NY, MI (52).

Stenocranus Fieber

acutus Beamer, NC, GA, FL, MS (3).
arundineus Metcalf, NC, GA (3).
brunneus Beamer, IL (3).
delicatus Beamer, IL (3).
dorsalis (Fitch), ME (3), IL (61).
felti Van Duzee, NH, WI, MN (3).
lautus Van Duzee, NH, NY, MD, DC, VA, NC, IL (3).
pallidus Beamer, IL, WI (3).
ramosus Beamer, NC, GA, FL (3).
sandersoni Beamer, IL (5).
similis Crawford, KY (3), IL (64).
unipunctatus Provancher, IL (64).

Kelisoidea Beamer

versa Beamer, FL (13).

Kelisia Fieber

axialis Van Duzee, NH, VT, NY, PA, VA, WI (16).
bimaculata Beamer, NH (16), WI (2).
curvata Beamer, MD, DC (2); NC (16); GA (2); FL (16); OH (2); IL (64).
flava Beamer, NH, CT, NY, PA (16); MD (26); NC (16).
hyalina Beamer, IL (61).
parvicurvata Beamer, FL (16).
pectinata Beamer, IL (16).
retrorsa Beamer, NH, CT, PA (16); IL (61); MI, MN (2).

spinosa Beamer, CT (2); PA (16); IL (64); MI, WI (2).
torquata Beamer, CT (16).
vesiculata Beamer, CT (16).

Megamelus Fieber

aestus Metcalf, NH (18), NC (20).
bifidus Beamer, NY (18).
davisi Van Duzee, NY (42); NJ (18); PA, DE (42); DC (18); NC (42); FL, TN (18); OH (42); IL, MI (18).
distinctus Metcalf, CT, NY, IL, MI (18).
falcatus Beamer, NH, CT, NY (18).
gracilis Beamer, FL (18).
hamatus Beamer, MD, VA (18).
inflatus Metcalf, NY (18).
lobatus Beamer, NH, CT, NJ, MD, GA, FL, MS, LA (18).
longicornis (Dozier), LA (18).
lunatus Beamer, NY (18); IL (61).
metzaria Crawford, NH, NY, (18); IL (61); MI (18).
palaetus (Van Duzee), FL, LA (18); IL (62).
toddi Beamer, LA (18).
trifidus Beamer, FL (18).
ungulatus Beamer, CT, NC, (18).

Bakerella Crawford

angulata Beamer, FL (12).
bullata Beamer, MD, FL, LA (12).
cornigera Beamer, PA, VA (12).
minuta Beamer, GA, FL (12).
muscotana Beamer, IL (12).
pediforma Beamer, FL, MS, LA (12).
penefusca Beamer, NH, CT, PA (12).
rotundifrons Beamer, IL (61).
spinifera Beamer, GA (12).

Bostaera Ball

balli Penner, NC, GA, FL (59).

Pissonotus Van Duzee

agrestis Morgan and Beamer, CT, GA, FL (52).
albivultus Morgan and Beamer, FL (52).
albovenosus Osborn, NJ (26); VA (52); SC (26); FL, LA (52); IL (64).
aphidioides (Van Duzee), CT, NY (52).
aguilonius Morgan and Beamer, IL (64), WI (52).
basalis (Van Duzee), NY, PA, OH (52).
binotatus Spooner, VA, NC, GA, FL (52).
brunneus Van Duzee, NH, MA, CT, NY, PA, MD, DC, VA, NC, FL, MS, LA, OH, IL, WI (52).
delicatus Van Duzee, NY, FL (52); IL (64).
dentatus Morgan and Beamer, FL (52), IL (61).
dorsalis Van Duzee, CT, NY, WI (52).
flabellatus (Ball), NY, DC, VA, FL, OH, IL (52).
guttatus Spooner, NH, CT, NY, MD, DC, OH (52); IL (61).
marginatus Van Duzee, NY, VA, FL, OH, IL, MI (52).
merides Morgan and Beamer, FL, MS, AL (52).
niger Morgan and Beamer, CT, NY, IL, MI (52).
nigriculus Morgan and Beamer, FL (52).
nigridorsum Metcalf^e, PA (42).
nitens (Van Duzee), FL (52).

paludosus Morgan and Beamer, FL, MS, AL, LA (52).
piceus (Van Duzee), NY, IL, MI (52).
quadripustulatus (Van Duzee), GA, FL (52).
spooneri Morgan and Beamer, NY (52).
tessellatus (Ball), FL, MS, OH (52).
tumidus Morgan and Beamer, NH, CT, NY, PA, MI (52).
Saccharosydne Kirkaldy
saccharivora (Westwood), GA, FL (42).
Dicranotropis Fieber
incerta (Van Duzee), NY, OH (42).
Pareuidella Beamer
avicephaliforma Beamer, GA, FL, LA (14).
spatulata Beamer, NC, GA, FL (14).
Euides Fieber
gerhardi (Metcalf), IL (42).
magnistyla (Crawford), GA (42).
triloba (Metcalf), FL, LA (42).
vanduzeei (Muir and Giffard), FL, MS, LA (42).
weedi (Van Duzee), GA, FL, MS (42); IL (64).
Peregrinus Kirkaldy
maidis (Ashmead), DC, NC, SC, FL, AL, LA TN, OH (42); IL (42^f, 61).
Penepissonotus Beamer
bicolor Beamer, MD, VA, NC, GA, FL (14).
Neomegamelanus McDermott
dorsalis (Metcalf), NY, NJ, MD, FL, MS, LA (37).
elongatus (Ball), CT, NY, MD, VA, FL, MS, LA (37).
lautus (Metcalf), MS (39), LA (37).
penilautus McDermott, FL (37).
spartini (Osborn), ME, NY, MD, NC, FL, MS, OH (42).
Megamelanus Ball
rufivittatus Ball, GA (37).
Prokelisoidea McDermott
salina (Ball), IL (61).
Tumidagena McDermott
minuta McDermott, CT, NY (37); NJ (26); MD (37).
propinqua McDermott, MS, LA (37).
terminalis (Metcalf), NC (39), FL (37).
Prokelisia Osborn
crocea (Van Duzee), ME, MA, CT, OH (42); IL (61).
marginata (Van Duzee), MA, CT, NY, NJ, NC (42); SC, GA (26); FL, MS, IL^d (42).
setigera Osborn, MA, NY, MS, LA (42).
Chloriona Fieber
slossoni (Ball), GA, FL, MS, LA (4); IL (61); MI (4).
Rotundifronta Beamer
lutea Beamer, FL (13).
Macrotomella Van Duzee
carinata Van Duzee, FL (42), IL (61).
Criomorphus Curtis
conspicuus Metcalf, MA, CT, IL (42).
inconspicuus Uhler, NY^d (42).
Keyflana Beamer
hasta Beamer, MD (26), FL (13).
Delphacodes Fieber
aculeata Beamer, FL (9).

acuministyla Dozier, CT, VA, MS (15).
adunca Beamer, NC, FL (9).
aetocephala Beamer, FL, MS, LA (9).
alata Beamer, FL (10).
alexanderi (Metcalf), NC, GA, FL, TN (28); IL (64).
analís (Crawford), NY, NC (28); IL (61); MI, MN (28).
andromeda (Van Duzee), NC, FL (28); IL (64).
arcanastyla Beamer, MI, WI (9).
arcuata Beamer, FL (9).
ardentis Beamer, FL (10).
arvensis (Fitch), NY, NJ (42).
atralabis Beamer, NH (9).
atrata Osborn, NH, NY, CT, OH, IL (15).
balli Muir and Giffard, CT (53).
basivitta (Van Duzee), NH, MA, CT, NY, PA, VA, NC, GA, FL, TN, IN, IL (28).
campestris (Van Duzee), NH, CT, (28); NY, NJ (55); NC (28); MS (55); IL (28); MI (55).
concava Beamer, GA, FL (10).
consimilis (Van Duzee), DC, NC (28).
cornuta Beamer, FL (9).
culta Van Duzee, FL (42).
dentipennis Beamer, CT, VA, (9); NC (28); WI (9).
detecta (Van Duzee), CT, NY (11); MD (28); VA (11); NC, FL, LA (28).
dolera (Spoonner), NY, VA, IL (15).
floridae Muir and Giffard, FL (53).
foveata (Van Duzee), NY (55), IL (64).
fulvidorsum Metcalf, GA, FL (4).
furcata (Provancher), NH, NY (53).
humilis (Van Duzee), FL (42).
hyalina Beamer, IL (61).
idonea Beamer, FL (7).
incurva Beamer, CT (8).
indentistyla Dozier, MS (42).
kilmani (Van Duzee), NH (28); NY (55); NC, MI (28).
laminalis (Van Duzee), NY (55); PA, MD, DC, NC, FL (28); MS (55); IN (28); IL (61).
lineatipes (Van Duzee), NY, PA, NC, OH (28).
livida Beamer, CT (8).
lutea Beamer, IL (61).
lutulenta (Van Duzee), NH, CT, NY, NC (28); IL (64).
magna (Crawford) 9, IL (61).
mcateeí Muir and Giffard, MD (53); IL (61).
nigridorsum (Crawford), NY, NJ, OH (42).
nigripennata Beamer, NC (28), FL (6).
nitens Muir and Giffard, MD, OH (53); IL (64).
obscura Boheman, NY^d (42).
opaca Beamer, CT, PA, VA (8).
pacifica (Crawford), IL (64).
paransera Beamer, NY (9).
paraparvula Beamer, MS (10).
parvula (Ball), IL (61).
pellucida (Fabricius), ME, NH, MA, CT, NC, IL (28).
penedetecta Beamer, FL, LA (11).
penelutea Beamer, FL, MS (10).
peneparvula Beamer, KY (7).
penepuella Beamer, NY, FL (8).

- perusta* Beamer, NY, OH (7); IL (61).
pictifrons Osborn, OH (42).
propinqua (Fieber), NC (28), IL (61).
puella (Van Duzee), NH, CT (28); NY, NJ (55); NC, FL (28); MS (55); TN, OH, IL (28).
quadridentis Beamer, FL, MS (9).
recurvata Beamer, DC (8); NC (28); FL (8).
rivularis (Germar), GA (42).
rotundata (Crawford), NY, NJ, NC (28); IL (61).
sagae Beamer, NY (6), IL (64).
sagittata Beamer, GA (7).
seminigra (Stal), FL (42).
serrata Beamer, CT, NY (8).
shermani (Metcalf), NC (28).
staminata (Metcalf), IL (47).
stramineosa Beamer, CT, NY (8).
sucinea Beamer, FL, MS (10).
teapae (Fowler), FL (42).
trimaculata Beamer, CT, MD, DC, VA (8); IL (64).
truncata Beamer, VA, GA, FL, MS, LA (9).
turgida Beamer, GA, FL, (9).
uhleri Muir and Giffard, VA (42).
unda Metcalf, NC (42).
waldeni (Metcalf), CT (47).
wetmorei Muir and Giffard, NC, GA (28).
Sogata Distant
 breviceps Dozier, MS (42).
 pseudoseminigra Muir and Giffard, FL (53).
Sogatella Fennah
 kolophon (Kirkaldy), GA, FL (17).
Sogatodes Fennah
 orizicola (Muir), FL, MS, LA (1).

Family *DERBIDAE* Spinola

- Euklastus* Metcalf
 harti Metcalf, NC, IL (43).
Mula Ball
 resonans Ball, FL, MS (43).
Mysidia Westwood
 mississippiensis Dozier, FL, MS, LA (43).
Patara Westwood
 vanduzeei Ball, ME (60); NY, PA, NC, OH (43); IL (64).
Omolicna Fennah
 fulvus (Van Duzee), FL (43).
 mcateeii (Dozier), NC (65), MS (43).
 uhleri (Ball), NY, NJ, MD, DC, VA, NC, GA, MS, TN, OH (43); IL (64).
Neocenchrea Metcalf
 heidemanni (Ball), MD, DC, VA, NC, OH (43); IL (64).
Dysimia Muir
 maculata Muir, FL (43).
Cedusa Fowler^h
 australis (Metcalf), MS, IL, MI (30).
 bedusa McAtee, VA, NC, FL, MS, LA (30); IL. (64).
 californica (Van Duzee), MI (30).

cedusa McAtee, NY, MD, VA, MI, MN (30).
chuluota Ball, NC, GA, FL (30).
edentula (Van Duzee), NJ, VA, NC, GA, MS, TN (30); IL (61).
gedusa McAtee, MD, MS, TN (30).
hedusa McAtee, NY, MD, SC, GA (30).
incisa (Metcalf), NH, CT, NY, NC, OH, IN, IL, MI, MN (30).
kedusa McAtee, NJ, MD, VA, NC, OH, IL, MI, WI (30).
maculata (Van Duzee), NC, IN, MN (30); IL (64).
mallochi McAtee, MD, VA, NC, FL, MS, IN, IL (30).
minuenda Ball, NC, FL (30).
neomaculata Caldwell, FL (30).
obscura (Ball), ME, CT, VA, NC, GA, FL, MS, IL, MI, WI (30).
redusa McAtee, MD, VA, NC, FL, KY (30).
vulgaris (Fitch), CT, VA, NC, GA, IL, MI (30).

Sayiana Ball

sayi (Ball), NY, FL (43); IL (64).

Amalopota Van Duzee

fitchi Van Duzee, NY, PA, NC, GA, FL, MS, TN, OH (43); IL (64).
mcateeii Dozier, MS (43), IL (64).
uhleri Van Duzee, NY, FL, MS, TN, OH, IN, IL, MN (43).

Anotia Kirby

bonnetii Kirby, CT, NY, NJ, NC, GA, FL (43); IL (64).
burnetii Fitch, NY, PA, NC, MS, IN, IL, (43).
kirkaldyi Ball, PA, NC, MS (43); IL (64).
robertsonii Fitch, NJ, PA, FL (43).
westwoodii Fitch, NY, NJ, PA, NC, OH (43); IL (61).

Otiocerus Kirby

abbottii Kirby, CT, NY, NC, GA, FL, OH, IN, (43), IL (64); MN (43).
amyotii Fitch, CT, NY, NJ, PA, DC, NC, GA, OH (43); IL (64).
coquebertii Kirby, NH, MA, CT, NY, NJ, PA, MD, NC, OH, IN, IL, MN (43).
francilloni Kirby, NY, NJ, GA, FL, OH (43); IL (64).
kirbyii Fitch, NY, NC, MS, AL (43).
reamurii Kirby, NY, GA, OH (43).
signoretii Fitch, NY, NJ, PA (43).
stollii Kirby, NY, NJ, PA, NC, GA, FL, MS, LA, OH, (43); IL (64).
wolfii Kirby, NY, NJ, PA, MD, NC, GA, FL, MS, OH, IL (43).

Apache Kirkaldy

degeerii Kirby, ME (60); NH, MA, CT, NY, NJ, PA, MD, NC, GA, FL, MS, LA, TN, OH, IN, IL, MN (43).

Shellenius Ball

ballii (McAtee), MD, FL, MS, OH (43); IL (64).
schellenbergii (Kirby), NY, NJ, GA, FL, MS, OH (43); IL (64).

Family *DICTYOPHARIDAE* Spinola

Nersia Stål

florens Stål, SC, GA, FL, MS (44); IL (64).
florida Fennah, FL (44).

Mitrops Fennah

dioxys (Walker), NJ, MD, MS (44).

Rhynchomitra Fennah

lingula (Van Duzee), NY, NJ, NC, SC, FL, MS (44).
microrhina (Walker), NY, NJ, NC, SC, FL, MS, LA (44); IL (64).
recurva (Metcalf), NC (39).

Phylloscelis Germar

atra Germar, MA, CT, NY, NJ, PA, MD, DC, VA, NC, SC, GA, FL, MS, TN, OH, IN, IL (44).

pallescent Germar, MA, NY, NJ, PA, MD, NC, FL, MS, OH (44); IL (64).

rubra Ball, NY, NJ, FL, MS (44).

Scolops Schaum

angustatus Uhler, MA, CT, NY, NJ, MD, DC, NC, GA, FL, MS, LA, OH, IN (44); IL (64); MN (44).

grossus Uhler, NJ^d, IL^d (44).

hesperius Uhler, MA^d (44).

osborni Ball, OH^d (44).

perdix Uhler, MA, NY, NJ, MD, DC, VA, NC, SC, FL, MS, OH, IL (44).

pungens (Germar), CT, NY, NJ, PA, MD, DC, NC, SC, FL, MS, LA, KY, OH, IL, WI (44).

stonei Breakey, NC, GA, FL, MS (44).

sulcipes (Say), ME, VT, MA, RI, CT, NY, NJ, PA, MD, DC, VA, NC, FL, MS, KY, OH, IN, IL, MI, WI, MN (44).

uhleri Ball, NC^d (20).

Family *FULGORIDAE* Dumeril

Poblicia Stål

fuliginosa (Olivier), NC, MS, OH (45); IL (64).

Calyptoproctus Spinola

marmoratus Spinola, GA, MS (45).

Cyrpoptus Stål

belfragei Stål, MD, VA, NC, SC, FL, MS, AL, TN (35); IL (64).

reinecke Van Duzee, NC, (20); SC, GA, FL, MS, AL (35).

Alphina Stål

glaucia (Metcalf), MS (45).

Amycle Stål

vernalis Manee, NC, GA (45).

Family *ACHILIDAE* Stal

Catonia Uhler

bicinctura Van Duzee, NC, GA, FL, OH, MI (54).

carolina Metcalf, MD, VA, NC, SC, GA, FL, TN, OH, IL (54).

cinctifrons (Fitch), NH, MA, CT, NY, NJ, PA, DE, MD, VA, NC, SC, GA, FL, OH (54); IL (64).

lunata Metcalf, NJ, MD, VA, NC, SC, GA, FL, MS, AL, OH (54).

nava (Say), NY, MD, VA, NC, GA, FL, MS, LA, OH, IN (54); IL (64).

picta Van Duzee, CT, NJ, VA, NC, GA, FL, MS, AL (54).

pini Metcalf, NC, GA, FL, MS, LA (54).

pumila Van Duzee, NH, MA, NY, NJ, PA, MD, VA, NC, SC, GA, AL, LA, TN, OH, IN (54); IL (64); MN (54).

Opsiplanon Fennah

luellus (Metcalf), GA, FL (54).

Synecdoche O'Brien

dimidiata (Van Duzee), ME, NH, RI, CT, NY, NJ, PA, MD, VA, WV, NC, GA, FL, OH (54).

grisea (Van Duzee), CT, NY, PA, MD, VA, NC, KY, OH (54); IL (61); MI (54).

impunctata (Fitch), ME, NH, MA, CT, NY, NJ, PA, VA, WV, NC, GA, TN, OH, IN, IL, MI (54).

Epiptera Metcalf

brittoni Metcalf, CT, NY, NC (46).

colorata (Van Duzee), NY (46).

fusca (Walker), RI, NY, NJ, FL (46); MS (32).

opaca (Say), NH, MA, NY, NJ, PA, MD, NC, SC, GA, MS, TN, OH, IN (46); IL (64).
pallida (Say), NH, NY, NJ, PA, DC, FL, MS (46).
septentrionalis (Provancher), NH, NY, NJ (46).
slossoni (Van Duzee), NH, NY (46).
variegata (Van Duzee), ME, NH, CT, NY, NJ, VA, NC, OH (46); IL (64).

Family *TROPIDUCHIDAE* Stal

Neurotmeta Guerin-Meneville
sponsa (Guerin-Meneville), FL (48).
Pelittropis Van Duzee
rotulata Van Duzee, NC, FL, MS (48).
Monopsis Spinola
tabida Spinola, FL (48).

Family *FLATIDAE* Spinola

Leptormenis Melichar
relicta Fabricius, NC, SC (50).
Ormenis Stal
proxima (Walker), FL (50).
Anormenis Melichar
chloris Melichar, NC (50).
septentrionalis (Spinola), CT, NY, NJ, PA, MD, DC, VA, NC, SC, GA, FL, MS, TN, OH, IN, IL (50).
Ormenoides Melichar
venusta (Melichar), VA, NC, SC, GA, FL, MS, TN, OH, IN (50); IL (64).
Metcalfa Caldwell and Martorell
pruinosa (Say), MA, RI, CT, NY, NJ, PA, DE, MD, DC, VA, NC, GA, FL, MS, LA, TN, KY, OH, IN, IL, MI, MN, (50).
Ormenaria Metcalf and Bruner
rufifascia (Walker), GA, FL (27).
Mistharnophantia Kirkaldy
sonorana Kirkaldy, FL (50).
Cyarda Walker
acuminipennis (Spinola), FL (50).
melichari Van Duzee, DC, NC, FL, MS (50); IL (64).
Flatoides Guerin-Meneville
concosa Metcalf, FL (50).
Flatoidinus Melichar
acutus (Uhler), GA, FL (50).
punctatus (Walker), GA, FL (50).
scabrosus (Melichar), GA (50).

Family *ACANALONIIDAE* Amyot and Serville

Acanalonia Spinola
bivittata (Say), ME, MA, CT, NY, NJ, PA, MD, DC, VA, WV, NC, SC, GA, FL, MS, AL, LA, KY, OH, IN, IL, MI, WI, MN (49).
concinula Fowler, FL (49).
conica (Say), DE, MD, VA, NC, GA, FL, MS, AL, LA, TN, KY, OH, IN, IL (49).
latifrons (Walker), PA, NC, SC, GA, FL, MS, LA (49).

pumila (Van Duzee), NC, FL (49).
servillei Spinola, NY, PA, FL, LA (49).
virescens (Stål), FL (49).

Family *ISSIDAE* Spinola

Fitchiella Van Duzee

robertsonii (Fitch), NY, PA, MD, FL, MS, OH, IN, IL (51).

Bruchomorpha Newman

abrupta Ball, FL (51).

dorsata Fitch, CT, NY, NJ, PA, NC, MS, OH, IL, WI (51).

jocosa Stål, NJ, DC, VA, NC, SC, FL, MS (51); IL (64); WI (51).

minima Metcalf, NC, FL (51).

mormo Kirkaldy, NC^d (51).

nodosa Doering, LA (51).

oculata Newman, ME, NH, VT, CT, NY, NJ, PA, MD, VA, NC, FL, MS, OH, IN, IL, WI, MN (51).

pallidipes Stål, DC, VA, SC, FL, MS, AL, LA (51); IL (64).

suturalis Melichar, NC^d, FL^d, MS^d (51).

tenebrosa Doering, FL (51).

tristis Stål, CT, NY, NJ, DC, NC, FL (51); IL (64); WI, MN (51).

Aphelonema Uhler

decorata (Van Duzee), NJ, FL (51).

histrionica (Stål), NH, MA, NY (51); IL (61); MI, WI, MN (51).

nigriviridia Ball, FL (51).

obscura Van Duzee, GA, FL, MS (51).

rugosa (Ball), MD^d, MN (51).

simplex Uhler, CT, NJ, MD, VA, FL, MS, OH (51); IL (64).

viridis Dozier, MS (51).

Hysteropterum Amyot and Serville

fuscocomaculosum Doering, FL (51).

punctiferum Walker, NJ, GA, FL (51).

Thionia Stål

bullata (Say), NY, NJ, PA, DC, NC, SC, GA, FL, MS, AL, LA, TN, OH, IN (51); IL (64).

elliptica (Germar), NJ, DC, NC, GA, KY, OH (51); IL (64).

quinquata Metcalf, NC, GA (51).

simplex (Germar), NJ, MD, DC, VA, NC, SC, FL, MS, AL, TN, KY, OH (51); IL (64).

^aplus 1 unpublished new species [see Mead (38)].

^bsynonym of *C. basalis* Van Duzee [see Beirne (19)].

^cthis species was placed in *Pseudocixius* by Caldwell (25). *Cixius* is currently being revised by J.P. Kramer (pers. comm.) and his review may change the placement of this species.

^drecord possibly in error.

^eMorgan and Beamer (52) state that this species "is not a *Pissonotus*" but do not indicate in which genus it belongs.

^frecord in error [see reference listed in Metcalf (43)].

^gmay not be *D. magna* [see Wilson (61)].

^hplus 6 unpublished new species [see Flynn (30)].

ⁱMetcalf (50) listed locality as "Carolina".

ACKNOWLEDGMENTS

We wish to thank Dr. Lois B. O'Brien, Department of Entomology, Florida A & M University, Tallahassee, for suggesting this project, and for providing us with a list of planthoppers which facilitated completion of this paper.

LITERATURE CITED

1. Atkins, J.G., J.P. Kramer, and S.D. Hensley. 1958. Hoja blanca and its insect vector found in a second area in the United States. *Plant Dis. Rep.* 42:1414.
2. Beamer, R.H. 1945. The genus *Kelisia* in America north of Mexico (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 18:100-108.
3. _____. 1946. The genus *Stenocranus* in America north of Mexico (Homoptera-Delphacinae). *J. Kansas Entomol. Soc.* 19:1-11.
4. _____. 1946. A new species of delphacine fulgorid with notes on four other species (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 19:82-87.
5. _____. 1946. A new species of *Stenocranus* and notes on a *Bakerella* (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 19:137-138.
6. _____. 1946. Some new species of *Delphacodes* (Homoptera, Fulgoridae, Delphacinae). *J. Kansas Entomol. Soc.* 19:139-144.
7. _____. 1947. Some new species of *Delphacodes* (continued) with two old ones (Homoptera, Fulgoridae, Delphacinae). *J. Kansas Entomol. Soc.* 20:58-71.
8. _____. 1948. Some new species of *Delphacodes* (continued) (Homoptera, Fulgoridae, Delphacinae). Part III. *J. Kansas Entomol. Soc.* 21:1-10.
9. _____. 1948. Some new species of *Delphacodes* (Homoptera, Fulgoridae, Delphacinae). Part IV. *J. Kansas Entomol. Soc.* 21:96-110.
10. _____. 1948. Some new species of *Delphacodes* (Homoptera, Fulgoridae, Delphacinae). Part V. *J. Kansas Entomol. Soc.* 21:111-119.
11. _____. 1950. *Delphacodes detecta* (Van D.) and a new closely related species (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 23:68-70.
12. _____. 1950. The genus *Bakerella* in North America north of Mexico (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 23:102-109.
13. _____. 1950. Five new genera of delphacine fulgorids (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 23:128-133.
14. _____. 1951. A new genus and two new species of delphacine fulgorids (Homoptera, Fulgoridae, Delphacinae). *Ann. Entomol. Soc. Amer.* 44:198-200.
15. _____. 1951. Some species of *Delphacodes*, new and old (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 24:11-15.
16. _____. 1951. A review of the genus *Kelisia* in America north of Mexico with four new species (Homoptera-Fulgoridae-Delphacinae). *J. Kansas Entomol. Soc.* 24:117-121.
17. _____. 1952. One old and five new species of delphacine fulgorids (Homoptera:Fulgoridae). *J. Kansas Entomol. Soc.* 25:111-115.
18. _____. 1955. A revision of the genus *Megamelus* in America north of Mexico (Homoptera, Fulgoridae, Delphacinae). *J. Kansas Entomol. Soc.* 28:29-40, 41-46.
19. Beirne, B.P. 1950. The Canadian Cixiidae (Homoptera: Fulgoroidea). *Can. Entomol.* 82:93-101.
20. Brimley, C.S. 1938. The insects of North Carolina. North Carolina Dep. Agric. 560 p.
21. Caldwell, J.S. 1938. A new *Cixius* from Ohio (Homoptera: Fulgoridae). *Ohio J. Sci.* 38:45.
22. _____. 1943. Notes on the genus *Bothriocera* Burmeister (Homoptera:Cixiidae). *Lloydia* 6:318-325.
23. _____. 1944. *Pintalia* Stal with special reference to Mexico (Homoptera, Cixiidae). *Pan-Pacific Entomol.* 20:154-160.

24. _____. 1944. Notes on some less common genera of tropical Cixiidae (Homoptera). Ohio J. Sci. 44:252-254.
25. _____. 1950. New genera and species of Cixiidae from Mexico (Homoptera, Fulgoroidea). Proc. Entomol. Soc. Wash. 52:287-290.
26. Denno, R.F. 1978. The optimum population strategy for planthoppers Homoptera:Delphacidae in stable marsh habitats. Can. Entomol. 110:135-142.
27. Dozier, H.L. 1928. The Fulgoridae or planthoppers of Mississippi, including those of possible occurrence. A taxonomic, biological, ecological, and economic study. Tech. Bull. Mississippi Agric. Exp. Sta. 14:1-152.
28. DuBose, W.P. 1960. The genus *Delphacodes* Fieber in North Carolina (Homoptera:Delphacidae). J. Elisha Mitchell Sci. Soc. 76:36-63.
29. Fennah, R.G. 1963. New genera of Delphacidae (Homoptera: Fulgoroidea). Proc. Royal Entomol. Soc. 32:15-16.
30. Flynn, J.E. 1967. A taxonomic study of the genus *Cedusa* in the New World (Homoptera:Derbidae). Ph. D. Thesis. North Carolina State U. at Raleigh, 279 p.
31. Heaton, R.R. 1934. An annotated list of the Fulgoridae (Homoptera) of Indiana. Bull. Brooklyn Entomol. Soc. 29:107-115.
32. Hepburn, H.R. 1967. Notes on the genus *Epiptera* (Homoptera: Achilidae). J. Georgia Entomol. Soc. 2:78-80.
33. Kramer, J.P. 1973. Revision of the American planthoppers of the genus *Stobaera* (Homoptera:Delphacidae) with new distributional data and host plant records. Proc. Entomol. Soc. Wash. 75:379-402.
34. _____. 1977. Taxonomic study of the planthopper genus *Oecleus* in the United States (Homoptera:Fulgoroidea: Cixiidae). Trans. Amer. Entomol. Soc. 103:379-449.
35. _____. 1978. Taxonomic study of the American planthopper genus *Cyrpoptus* (Homoptera:Fulgoroidea:Fulgoridae). Proc. Biol. Soc. Wash. 91:303-335.
36. _____. 1979. Taxonomic study of the planthopper genus *Myndus* in the Americas (Homoptera:Fulgoroidea:Cixiidae). Trans. Amer. Entomol. Soc. 105:301-389.
37. McDermott, B.T. 1952. A revision of the genus *Megamelanus* and its allies (Homoptera, Fulgoridae, Delphacinae). J. Kansas Entomol. Soc. 25:41-59.
38. Mead, F.W. 1968. A revision of the genus *Oliarus* in North America, north of Mexico (Homoptera:Cixiidae). Ph.D. Thesis. North Carolina State U. at Raleigh, 398 p.
39. Metcalf, Z.P. 1923. A key to the Fulgoridae of eastern North America. J. Elisha Mitchell Sci. Soc. 38:139-230.
40. _____. 1928. Fulgoridae. In: A list of the insects of New York. Mem. Cornell Univ. Agric. Exp. Sta. 101: 176-182.
41. _____. 1936. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Part 2. Cixiidae, 274 p.
42. _____. 1943. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Part 3. Araeopidae (Delphacidae), 556 p.
43. _____. 1945. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Parts 4. Derbidae, 5. Achilixiidae, 6. Meenoplidae, and 7. Kinnaridae, 256 p.
44. _____. 1946. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Part 8. Dictyopharidae, 250 p.
45. _____. 1947a. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Part 9. Fulgoridae, 280 p.
46. _____. 1947b. General catalogue of the Hemiptera. Fasc. IV. Fulgoroidea, Part 10. Achilidae, 85 p.
47. _____. 1949. The redescription of twenty-one species of Araeopidae described in 1923. J. Elisha Mitchell Sci. Soc. 65:48-60.
48. _____. 1954a. General catalogue of the Homoptera. Fasc. IV. Fulgoroidea, Part II. Tropiduchidae, 176 p.
49. _____. 1954b. General catalogue of the Homoptera. Fasc. IV. Fulgoroidea, Part 14. Acanaloniidae, 64 p.

50. _____. 1957. General catalogue of the Homoptera. Fasc. IV. Fulgoroidea, Part 13. Flatidae and Hypochthonellidae, 574 p.
51. _____. 1958. General catalogue of the Homoptera. Fasc. IV. Fulgoroidea, Part 15. Issidae, 570 p.
52. Morgan, L.W. and R.H. Beamer. 1949. A revision of three genera of delphacine fulgorids from America north of Mexico (Homoptera-Fulgoridae-Delphacinae). J. Kansas Entomol. Soc. 22:97-120, 121-142.
53. Muir, F.A.G. and W.M. Giffard. 1924. Studies in North American Delphacidae. Bull. Hawaiian Sugar Planters Assoc. Div. Entomol. 15:1-53.
54. O'Brien, L.B. 1971. The systematics of the tribe Plectoderini in America north of Mexico (Homoptera:Fulgoroidea, Achilidae). Univ. California Publ. Entomol. 64:1-79.
55. Oman P.W. 1947. The types of Auchenorrhynchous Homoptera in the Iowa State College collection. Iowa State Coll. J. Sci. 21(2): 161-228.
56. Osborn, H. 1938. The Fulgoridae of Ohio. Bull. Ohio Biol. Surv. 6:283-349.
57. Penner, L.R. 1945. The genus *Laccocera* Van Duzee (Homoptera: Delphacidae). J. Kansas Entomol. Soc. 18:30-47.
58. _____. 1947. Some notes on the genus *Pentagramma* and four new species (Homoptera-Delphacidae-Asiracinae). J. Kansas Entomol. Soc. 20:30-39.
59. _____. 1952. A new *Bostaera* from Florida (Homoptera-Delphacidae). J. Kansas Entomol. Soc. 25:1-3.
60. Procter, W. 1946. The insect fauna with reference to methods of capture, food plants, the flora and other biological features. Biol. Surv. Mt. Desert Region, Inc. Part VII. 566 p.
61. Wilson, S.W. 1980. The planthoppers, or Fulgoroidea, of Illinois with information on the biology of selected species. Ph.D. Thesis. Southern Illinois U. at Carbondale, 446 p.
62. _____. and J.E. McPherson. 1979. The first record of *Megamelus palaetus* in Illinois (Homoptera:Fulgoroidea: Delphacidae). Great Lakes Entomol. 12:227.
63. _____. 1979. The first report of *Oecleus chrisjohni* and *O. epetion* in Illinois (Homoptera:Fulgoroidea:Cixiidae). Great Lakes Entomol. 12:227-228.
64. _____. 1980. A list of the Fulgoroidea (Homoptera) of southern Illinois. Great Lakes Entomol. 13:25-30.
65. Wray, D.L. 1950. Insects of North Carolina second supplement. North Carolina Dep. Agric. 59 p.